

# KTM

## KTM XCW 125

Modell	Årsmodell
XCW 125	17-19
Fjäderhårdhet	
51-54-57Nm	
54-57-60Nm	
<b>57-60-63Nm</b>	
60-63-66Nm	
63-66-69Nm	
66-69-72Nm	

Rödmarkerad = Standard

## KTM EXC 150

Modell	Årsmodell
EXC 150	20-21
Fjäderhårdhet	
51-54-57Nm	
54-57-60Nm	
<b>57-60-63Nm</b>	
60-63-66Nm	
63-66-69Nm	
66-69-72Nm	

Rödmarkerad = Standard

## KTM EXC 150

Modell	Årsmodell
EXC 150	22-23
Fjäderhårdhet	
51-54-57Nm	
54-57-60Nm	
57-60-63Nm	
<b>60-63-66Nm</b>	
63-66-69Nm	
66-69-72Nm	
69-72-75Nm	

Rödmarkerad = Standard

Skrolla ner för fler modeller



# KTM

## KTM EXC 250

Modell	Årsmo <span>de</span> ll
EXC 250	17-23
<b>Fjäderhårdhet</b>	
54-57-60Nm	
57-60-63Nm	
<b>60-63-66Nm</b>	
63-66-69Nm	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

## KTM EXC 300

Modell	Årsmo <span>de</span> ll
EXC 300	17-23
<b>Fjäderhårdhet</b>	
54-57-60Nm	
57-60-63Nm	
<b>60-63-66Nm</b>	
63-66-69Nm	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

Skrolla ner för fler modeller

I  
V

# KTM

## KTM EXCF 250

Modell	Årsmodell
EXCF 250	17-21
Fjäderhårdhet	
54-57-60Nm	
57-60-63Nm	
<b>60-63-66Nm</b>	
63-66-69Nm	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

## KTM EXCF 250

Modell	Årsmodell
EXCF 250	22-23
Fjäderhårdhet	
54-57-60Nm	
57-60-63Nm	
60-63-66Nm	
<b>63-66-69Nm</b>	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

## KTM EXCF 350

Modell	Årsmodell
EXCF 350	17-18
Fjäderhårdhet	
54-57-60Nm	
57-60-63Nm	
<b>60-63-66Nm</b>	
63-66-69Nm	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

## KTM EXCF 350

Modell	Årsmodell
EXCF 350	19-23
Fjäderhårdhet	
54-57-60Nm	
57-60-63Nm	
60-63-66Nm	
<b>63-66-69Nm</b>	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

Skrolla ner för fler modeller



# KTM

## KTM EXCF 450

Modell	Årsmodell
EXCF 450	17-23
Fjäderhårdhet	
54-57-60Nm	
57-60-63Nm	
60-63-66Nm	
<b>63-66-69Nm</b>	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	

Rödmarkerad = Standard

## KTM EXCF 500

Modell	Årsmodell
EXCF 500	17-23
Fjäderhårdhet	
57-60-63Nm	
60-63-66Nm	
<b>63-66-69Nm</b>	
66-69-72Nm	
69-72-75Nm	
72-75-78Nm	
75-78-81Nm	
78-81-84Nm	

Rödmarkerad = Standard